Big Country Regional Advisory Council (BCRAC) Trauma Service Area (TSA) - D

Regional Plan

(Stroke, STEMI & Trauma)

Big Country Regional Advisory Council 2257 Industrial Blvd Ste A Abilene, TX 79602

2025



For the state service delivery area including Brown, Callahan, Coleman, Comanche, Eastland, Fisher, Haskell, Jones, Knox, Mitchell, Nolan, Shackelford, Stephens, Stonewall, Taylor and Throckmorton

> Phone: (325) 660-6081 Fax: (877) 412-3701

Table of Contents

Stroke	_
Introduction	4-5
Mission	6
Vision	6
Organization	7
Regional Plan	7
Objectives	7
Goals	7
Regulatory Agencies & Guideline Resources for Stroke Care	8
Stroke Data Indicators and QI process	8
TSA-D EMS Agency List	9
TSA-D Regional Hospital Stroke Capability Chart	10
Level I Designated Stroke Facilities outside TSA-D	11
Pre-Hospital Triage	12
System Triage	12
BCRAC Prehospital Transport Guidelines for Stroke	13
Helicopter Activation	14
Inter-Hospital Transfers	14
BRAC Stroke Triage/Transfer Decision Algorithm –Hospital	15
Facility Diversion Plan	16
Stroke Plan Recommendations	17
BCRAC Stroke Tracking Form-Sending Facility	18
BCRAC Stroke Tracking Form – Receiving Facility	19
Thrombolytic Agent Eligibility Inclusion/Exclusion Criteria	20 -21

STEMI

Summary	22
Definitions	23-25
Role of Hospitals	26-28
Transfer STEMI Algorithm	29
Roles of EMS	30-32
TSAD EMS Service Providers	33
Field Triage STEMI Scheme	34
ECG/EKG Screening Guide	35
Thrombolytic Checklist	36-37
BCRAC Regional STEMI Checklist Form	38
BCRAC Regional STEMI Checklist Form Instructions	39
System Performance Improvement	40-41
Statement of Confidentiality	42
Trauma Service Plan	
Purpose	43
Executive Committee Members	44
TSA D EMS Services	45-47
Requirements and History	48-49
Pre-Hospital Triage and Transport	50-51
Facility Triage Criteria	52-53
Facility Triage Criteria and Inter-Hospitals Transfers	54
Pre-Hospital Triage Criteria	55
Bypass Protocols	56
Diversion Protocols	57
Criteria Air Medical Transport of Trauma Patients	58 -59
Confidential Peer Review	60-61
Breakdown of In-Facility Time Prior to Transform	62-63

STROKE

Introduction

Organization and Service Area

The Big Country Regional Advisory Committee (RAC-D) is comprised of the Central West Texas counties of **Brown**, **Callahan**, **Coleman**, **Comanche**, **Eastland**, **Fisher**, **Haskell**, **Jones**, **Knox**, **Mitchell**, **Nolan**, **Shackelford**, **Stephens**, **Stonewall**, **Taylor and Throckmorton**. BCRAC represents the Trauma Service Area-D, a geographic area as defined by the Texas Department of State Health Services and is a non-profit organization.

Service Area/Facilities

The BCRAC Service Area is comprised of fifteen (15) rural counties and one (1) urban county (Taylor). Located in Taylor County, Abilene is home to 125,182 residents with Taylor County estimated population at 143,208 residents. Abilene is a regional commerce center for residents of west central Texas. The area economy is based on agriculture, oil and gas production, education, and manufacturing. Of the top 20 largest employers in Abilene, 5 are directly involved in health care in some format and employ a minimum of 5,000 employees at any given time. Located three hours from Dallas/Fort Worth and four hours from San Antonio, Abilene serves a regional trade area and is considered the primary catchment area for our EMS system. Abilene is home to Dyess Air Force Base, home of the B-1 bomber squadron, which employs some 6,000 civilian and military personnel. The population in the remaining fifteen county service area is estimated at 161,529 for a total service area population of 304,737. Individual counties and estimated populations in this service area include*:

COUNTY	POPULATION	SQ. MILES	HOSP./TRAUMA LEV.
Taylor	143,208	917	Hendrick Medical Ctr North -III
			Hendrick Medical Ctr South -IV
Brown	38,095	936	Hendrick Medical Ctr Brownwood -IV
	/ • - • •		
Callahan	13,708	899	No Hospital
Coleman	7684	1277	Coleman Co. Med. Ctr-IV
Comanche	13,591	930	Comanche Co. Med Ctr-IV
Eastland	17,725	924	Eastland Memorial Hospital-IV
Fisher	3672	897	Fisher Co. Hospital-IV
Haskell	5416	901	Haskell Memorial Hospital-IV
Jones	19,663	931	Anson Gen. Hospital-undesignated
Knox	3353	845	Knox Co. Hospital- IV
Mitchell	8990	916	Mitchell Co. Hospital- IV
Nolan	14,738	915	Rolling Plains Mem Hosp - IV
Shackelford	3105	915	No Hospital
Stephens	9101	894	Stephens Memorial Hosp - IV
Stonewall	1245	925	Stonewall Mem Hosp - undesignated
Throck	kmorton 1440	912	Throckmorton Co. Hosp - IV

Abilene is served by two not-for-profit acute care hospitals of the Hendrick Health System. Hendrick Medical Center, a 504 licensed bed hospital serves as the Level III Lead Trauma Facility for this service area. Hendrick Medical Center South is a 231-bed hospital. Hendrick provides the optimum in trauma and emergency care throughout the area. With many physicians and dentists practicing multiple specialties, Abilene is widely recognized as a regional medical center. Other specialized medical facilities include: two regional rehabilitation centers, geriatric care facilities, wound care centers, a mental health and drug rehabilitation hospital and 10 rural hospitals in the service area that refer patients needing specialized care.

There are several institutes of higher learning located in Abilene, among them are Texas Tech University Health Sciences Center, Abilene Christian University, McMurry University and Hardin-Simmons University: as well as Texas State Technical College and Cisco Junior College. Affiliation with these higher education facilities as well as local and area paramedic/EMT programs enables students in varying aspects of health care to acquire experience and knowledge by providing one-0n-one patient-caregiver interaction and also serves to promote ongoing communication and interaction between the organizations and provide potential jobs for these students.

Trauma Service Area

Primary Catchment Area Level III
Secondary Catchment Area with Level IV Facility
Secondary Catchment Area with Emergent Access Facility
Secondary Catchment with NO facility in county

MISSION

The BCRAC Stroke Committee's mission is to provide a comprehensive continuum of quality health care for all stroke patients in TSA-D, through continuing Education, Prevention and Performance Improvement.

VISION

The BCRAC will provide leadership in our region to improve outcomes and reduce disability related to stroke.

ORGANIZATION

The BRAC strives to provide the infrastructure and leadership necessary to sustain a stroke system of care within the 16 county region. Representatives from regional hospitals, EMS providers, Air transport and other first responders collaborate to ensure appropriate triage, transfer and guideline-directed care is provided to stroke patients in the region. Designated stroke facilities' leadership provides benchmarks, feedback and clinical practice guideline updates to ensure care is consistent across the continuum. The BRAC shares continuing education opportunities related to stroke and is involved in providing stroke education to the public through members of the Stroke Sub-Committee Hendrick Health's Pre-Hospital Committee meets quarterly outside of scheduled RAC meetings.

Regional Stroke Plan

This Plan has been developed in accordance with generally accepted national stroke guidelines and procedures for implementation of a comprehensive Emergency Medical Services (EMS) and Stroke System plan. This plan does not establish a legal standard of care, but rather is intended as an aid to decision-making in general patient care scenarios. It is not intended to supersede the physician's medical judgment to order treatment.

OBJECTIVES

- 1. To improve the overall care of stroke patients by rapidly recognizing the signs of a stroke and transporting the potential stroke patient to the appropriate facility, in the appropriate time, with the appropriate level of resources.
- 2. To identify facilities and corresponding level of stroke management within TSA-D.
- 3. To improve patient outcomes in the region.

GOALS

- 1. To reduce the morbidity, mortality and disability of the stroke patient population.
- 2. To recognize facilities' capability to treat stroke patients within TSA-D based on the State requirements for Stroke Center Designation.

DISCUSSION

While it is recognized many of the facilities within TSA-D may elect NOT to seek Stroke Center Designation, in effort to provide the optimum in patient care and thereby improve outcomes, BCRAC has elected to utilize the criteria set forth by the State of Texas for Stroke Center Designation as the foundation in identifying individual facility capabilities.

REGULATORY AGENCIES AND GUIDELINE RESOURCES FOR STROKE CARE

- 1. DSHS Stroke Designation | Texas DSHS
 - A) All designated stroke facilities must participate in the regional and statewide stroke systems.
 - B) The Governor's EMS and Trauma Advisory Council (GETAC) Stroke Committee of the Department of State Health Services (DSHS) Stroke Committee recommend the designation of four levels of state recognized stroke centers/facilities as follows:

Level I – Comprehensive Level II – Advanced Level III – Primary Level IV – Acute Stroke Ready

- C) Designation requirements by level
 - 1. For DSHS Stroke Designation levels I, III, and IV Refer to the Brain Attack Coalition Publications
 - a) Recommendations for Comprehensive Stroke Centers (2005)
 - b) Revised and Updated Recommendations for the Establishment of Primary Stroke Centers (2011)
 - c) Formation and Function of Acute Stroke Ready Hospitals (2013)
 - 2. For DSHS Stroke Designation level 2, Refer to EMS Trauma Systems Section Stroke Facility Designation Advanced Level II Stroke Designation Department Approved Guidelines (May 2023)
 - 3. Each designated stroke center is required to maintain designation requirements.
 - 4. Refer to DSHS website for complete list of hospitals or centers meeting state approved criteria and their Stroke Center/Facility designation.
 - 5. Online stroke resources
 - American Heart Association (<u>www.americanheart.org</u>)
 - American Stroke Association (<u>www.strokeassociation.org</u>)
 - Brain Attack Coalition (<u>www.stroke-site.org</u>)

DESIGNATED STROKE FACILITIES

If a BRAC hospital or center fails to meet the criteria for a state stroke center/facility level designation for more than 6 weeks or if a hospital or center no longer chooses to maintain state stroke center/facility level designation, the hospital shall immediately notify, by certified mail return receipt requesting, the DSHS, local EMS, and governing RAC.

<u>STROKE SYSTEM QI</u> Regional data is presented quarterly at the Pre-Hospital Committee Meetings. The Stroke Sub-Committee meets quarterly prior to RAC meeting for process improvement in the region.

STROKE DATA INDICATORS:

EMS

Pre-Hospital Cincinnati Stroke Scale Performed and Documented in EMS record Stroke Severity Screen Performed and Documented in EMS Record Pre-Hospital Stroke Alert First Medical Contact to Endovascular Thrombectomy

REGIONAL FACILITIES

Door to CT <25 min CT interpretation <45 min CTA performed or Stroke Severity Screen documented (ischemic) Door to thrombolytic (alteplase or tenecteplase) <60 min Door in Door Out Goal <90 min Door to Puncture (endovascular thrombectomy) <90 min **Confidentiality** - All information and materials provided and/or presented during QI meetings are strictly confidential.

TSA D - EMS SERVICES

- 1) Abilene Fire Department-EMS
- 2) Air Evac Lifeteam 63-Abilene
- 3) Air Evac 115- Eastland
- 4) Air Evac 52- Brownwood
- 5) Citizens EMS
- 6) Comanche County EMS
- 7) Cross Plains EMS
- 8) Dublin EMS
- 9) Eastland Memorial Hospital EMS
- 10) Eula VFD
- 11) Fisher County Hospital District EMS
- 12) Hamlin EMS
- 13) Haskell County Ambulance Service
- 14) Heart of Texas EMS-Coleman
- 15) Jim Ned VFD
- 16) Knox County EMS
- 17) Lifeguard Ambulance Service- Brownwood
- 18) MetroCare Services Abilene-L.P.
- 19) Mitchell County EMS
- 20) Native Air of Snyder
- 21) North Runnels Hospital EMS
- 22) Potosi Volunteer Fire Department
- 23) Ranger Fire Department-EMS
- 24) Sacred Cross EMS
- 25) Scurry County EMS
- 26) Shackelford County EMS
- 27) Stamford EMS
- 28) Sacred Cross EMS Stephens County
- 29) Stonewall County Ambulance Service
- 30) Sweetwater Fire Department
- 31) Taylor County EMS
- 32) Throckmorton County EMS

Contact information can be found on page 48

TSA-D Regional Hospitals

Level III (Primary) Stroke Centers

Hospital Name – Town	IV thrombolytic?	Thrombectomy Capability?	Neurosurgery Capability?
Hendrick Medical Center North – Abilene	YES - Tenecteplase	YES	YES
Hendrick Medical Center South – Abilene	YES - Tenecteplase	NO	NO

Level IV (Acute Stroke Ready) Stroke Center

Hospital Name – Town	IV thrombolytic?	СТ	СТА
Coleman County Medical Center - Coleman	YES - Tenecteplase	YES	YES

Regional Support Facilities (without designation)

Hospital Name – Town	IV thrombolytic?	СТ	СТА
Comanche County Medical Center -Comanche	YES Tenecteplase; Alteplase	YES	YES
Eastland Memorial Hospital – Eastland	YES Alteplase	YES	YES
Fisher County Hospital – Rotan.	YES - Tenecteplase	YES	NO
Haskell Memorial Hospital – Haskell	YES - Tenecteplase	YES	YES
Stonewall Memorial Hospital – Aspermont	YES - Alteplase	YES	YES
Hendrick Medical Center Brownwood – Brownwood	YES - Tenecteplase	YES	YES
Knox County Hospital – Knox City	YES Tenecteplase	YES	YES
Mitchell County Hospital – Colorado City	YES - Tenecteplase	YES	Yes
North Runnels	YES - Tenecteplase	YES	NO
Rolling Plains Memorial Hospital – Sweetwater	YES - Tenecteplase	YES	YES
Stephens Memorial Hospital – Breckenridge	YES - Tenecteplase	YES	YES
Throckmorton County Hospital - Throckmorton	NO	NO	NO
Eme	ergent Access Facilities		-

Hospital Name-Town		IV thrombolytic?	СТ	СТА
Anson General – Anson Emergency Room only	(24 hour	YES - Tenecteplase	YES	YES

No Hospital

Callahan County, Shackelford County

Below are lists of possible facilities that may be utilized outside TSA D. These facilities are identified as within 250 miles of TSA-D Lead Facility in Abilene.

• Level I Designated Stroke Facilities outside TSA-D

Texas Health Harris Methodist Fort Worth

1301 Pennsylvania Ave Fort Worth, TX 76104 817-250-2000

UT Southwestern Medical Center

5323 Harry Hines Blvd Dallas, TX 75300 214-648-3111

Medical City Fort Worth

900 8th Street Fort Worth, TX 76104 217-336-2100

Covenant Medical Center

3610 22nd Street Suite 301 Lubbock, Texas 79410 806-725-1630

For other Texas designated stroke facilities, refer to www.dshs.texas.gov/dshs-ems-trauma-systems/stroke-system-development/texas-stroke-facilities

<u>Stroke Patient Transport</u> - Stroke patients in TSA-D are transported according to patient need, availability of air transport resources, and environmental conditions. Ground transport via BLS or ALS ground ambulance is available throughout the Region. Air Medical transport (fixed and roto wing) is also available in this Region.

PRE-HOSPITAL TRIAGE

GOAL: Patients with acute stroke symptoms should receive expeditious EMS dispatch and response. EMS personnel should be knowledgeable in the assessment, management, and triage of suspected stroke patients. Personnel should be skilled in the performance of stroke screening and in determining the timing, onset and nature of the symptoms. Because some acute stroke treatments require the provision of definitive care within a specific time frame, EMS personnel should communicate with the receiving facilities as soon as possible and transport the patient to the nearest appropriate acute care facility.

PURPOSE: To ensure the prompt availability of medical resources needed for optimal patient care, each patient will be assessed for the presence of neurological changes using a prehospital stroke screen and severity screen for possible LVO, and concurrent disease/predisposing factors.

SYSTEM TRIAGE

GOAL: Patients with an onset of stroke symptoms $< 4 \frac{1}{2}$ hours should be taken to the closest regional facility with the following capability:

Interpreted computed tomography (CT) imaging scan is available within

45 minutes of patient arrival.

Thrombolytics can be administered within 60 minutes of patient arrival.

Physician is available within 10 minutes of patient arrival.

If stroke symptoms $\geq 4 \frac{1}{2}$ to <24 hours and the Stroke Severity Scale is positive for possible LVO, transfer to nearest designated stroke facility with thrombectomy capability. Hendrick Medical Center North is the only facility with thrombectomy capability in TSA-D.

Patients with an onset of stroke symptoms occurring outside of the thrombolytic window of <4.5 hours of LKN and with a LVO screen negative should be transported to the nearest acute care facility for initial diagnosis and treatment.

In any situation, unstable patients (ABC's, cardiac arrest, etcetera) should be taken to the nearest facility for stabilization.

This plan is based on accepted best practice guidelines but does allow for patient preference.

BCRAC PREHOSPITAL TRANSPORT GUIDELINES FOR STROKE





HELICOPTER ACTIVATION

GOAL: Air transport resources will be appropriately utilized in order to reduce delays in providing optimal stroke care.

DECISION CRITERIA TO ACTIVATE:

- 1. If expected transport time is excessive (>30 minutes), activation of air transport resources should be considered.
- 2. Capability of closest appropriate facility (See System Triage section).

HOSPITAL TRIAGE CRITERIA

GOAL: Facilities will rapidly identify potential stroke patients and deliver evidence-based care.

OBJECTIVES:

- 1. Ensure each stroke patient is rapidly identified and accurately assessed based on the last known normal. The patient will be treated appropriately or transferred to the nearest acute care facility for appropriate intervention. (See page 8 for regional facility imaging and thrombolytic capability)
- 2. Ensure prompt availability of medical resources for optimal patient care.

INTER-HOSPITAL TRANSFERS

GOAL: Inter-hospital transfer plans within TSA-D will ensure stroke patients requiring additional or specialized care and treatment beyond a facility's capability are rapidly identified and transferred to appropriate facilities.

OBJECTIVES:

- 1. Ensure all regional hospitals make transfer decisions based on the BRAC Stroke Triage/Transfer Decision Algorithm Hospital (See page 13).
- 2. Identify standards of care for stroke treatment
- 3. Consider early air medical activation for inter-hospital transfers.



Inter-facility Nursing Handoff:

- Time of Last Known Normal
- Patient's presenting symptoms
- Medications administered (including pior to hospital arrival)
- Home Medications (please include any anticoagulants/antiplatelets)
- Imaging performed and results
- NIHSS/Glasgow Coma Scale
- Abnormal Labs, POCT Glucose
- Vital Signs
- IV access
- Family contact information and relationship

Large Vessel Occlusion (LVO) Screening Tool V -Vision A -Aphasia

N -Neglect

FACILITY DIVERSION:

Goal

TSA-D stroke facilities will communicate "facility diversion" status promptly and clearly to regional EMS and other facilities in order to ensure that stroke patients are transported to the nearest appropriate stroke facility.

System Objectives

- 1. To ensure that stroke patients will be transported to the nearest appropriate stroke facility.
- 2. To develop system protocols for regional facility and stroke diversion status:
 - Situations which would require the facility to go on diversion
 - Notification/activation of facility diversion status
 - Procedure for termination of diversion status
- 3. Regional stroke care problems associated with facility diversion will be assessed through the BCRAC Committee and/or Pre-Hospital Committee.

If the designated stroke facility has an interruption in capabilities or capacity critical to the evaluation and treatment of a stroke patient, the facility will immediately notify local EMS providers, referring facilities, and their RAC through EMResource's electronic communication with time-stamp capabilities.

STROKE PLAN RECOMMENDATIONS

Last Known Normal (LKN) Accurate communication of last known normal- not when symptoms found

<u>**Pre-Hospital Stroke Scale**</u> – Regional EMS providers should assess and document the pre-hospital stroke scale such as the Cincinnati Pre-Hospital Stroke Scale (CPSS) or FAST-ED.

<u>**Pre-Hospital Stroke Severity Score (LVO Screening Tool)**</u> – Regional EMS providers should assess and document the LVO screening. ED physicians and staff should be familiar with these tools. Examples: VAN or RACE score.

NIH Stroke Scale - It is recommended facilities have a written protocol utilizing the NIH Stroke Scale.

<u>Glasgow Coma Scale-</u>Clinical scale used to reliably measure a person's consciousness after a brain injury

IV thrombolytic Checklist – The facility should utilize the regional IV thrombolytic Checklist or a similar checklist with the same information.

<u>Thrombolytic Therapy Administration Protocol</u>* – This criterion refers to a facility having a written protocol for administering thrombolytics if the facility will be administering thrombolytics.

• Alteplase for ischemic stroke: 0.9 mg/kg with Max dose 90 mg. Give 10% of total dose administered as a bolus over 1 minute. Then remainder of the dose over 60 minutes.

OR

• **Tenecteplase for ischemic stroke** 0.25 mg/kg with a max dose of 25 mg IVP over 5 seconds.

*If regional facility is **unable** to administer a thrombolytic within the 4 ½ hour window, facility should communicate to EMS provider of need to bypass to nearest facility with capability. See "Facility Bypass".

<u>24/7 STAT CT*</u> – This criterion is desired. This criterion refers to the ability to have a CT completed and read within 45 minutes of arrival to ED.

*If no CT capability, facility should communicate to EMS provider of need to bypass for patients with signs and symptoms of stroke.

<u>24/7 STAT CTA*</u> – This criterion is desired. If unable to perform CTA or results are pending, regional facility should screen for large vessel occlusions (LVO) for patients presenting with signs and symptoms of an acute ischemic stroke with negative CT head and Last Known Normal <24 hours.

*Do not delay transfer if results are pending. Call accepting facility with results while patient is in route.

TRANSFER AGREEMENTS – It is recommended that regional referral facilities have transfer agreements with a level I, II or III Stroke Center.

<u>AGREEMENTS WITH EMS PROVIDERS</u> – The facility should have at least one written agreement with an EMS Provider allowing stroke patients to be treated as priority one/emergent.

RECOMMENDED STAFF EDUCATION

<u>NIH Stroke Scale Education</u> – It is recommended facilities have written protocols outlining NIH Stroke Scale education for all nursing staff and physicians involved in stroke care.

Other Stroke Education – It is recommended EMS providers and facilities provide stroke education for personnel.

Option Tracking Tool for Sending Hospitals

	Stroke Sending Facility Tracking Form					
Patie	Patient Sticker ED Physician:					
Prima			rimary Nu	Nurse:		
	Tele-Neuro Physician (if applicable):					
#	Time			Steps	Document in EMR	
		First documented time of Patie	ent arrival	(Private Vehicle or EMS)		
1		LKN (Time of Last Known Norm	nal)		YES	
2		Stroke code/alert called			YES	
3		Physician Notified			YES	
4		STAT CT Head (Door to CT <20	min)			
		Bleed? YES/NO				
		(If hemorrhage, document init	ial GCS an	d <15 min prior to departure)		
5		Baseline NIHSS			YES	
		NIHSS prior to lytic (if applicable	le)	_	YES	
6						
		Pt meets criteria for thromboly	ytic? YES/N	NO WT in Kg:		
7		I hrombolytic Administration 1 Monitor NIHSS and VS evenu 11	ime	Drug Dosage	YES	
'		Wohltor Wihos and VS every 1:	5 minutes	x o, then every 50 minutes	YES	
8		VAN (Visual/Aphasia/Neglect)	or CTA co	nfirms LVO		
		Positive;Negativ	/e			
		Stroke Severity Screen for Larg	ge Vessel O	Occlusion	VES	
9		Call for acceptance of stroke p	atient (na	me of facility)	125	
		Time Called Time Accepted				
10		Communicate last NIHSS and V	/s			
		to EMS/Air Transport and whe	n next ass	essment is due		
11		Keep patient NPO until screene	ed for dys	phagia (including meds)	YES	
12		Discharge/departure time			YES	
	See Appropriate	NURSING		TIMES		
	Algorithms	NORSING:		TIMES:		
• BC	RAC Stroke	O STAT DOG -I		Stroke Code: LKN 0-6 hrs		
Triag	e/Transfer Decision	O STAT POC glucose		Stroke Alert: LKN 6-24 hrs		
Algo	rithm-Hospital			Door-Provider: <10 min		
		O Initiato IV line		Door-CT: <25 min		
		O Draw Jahr		• EKG: <45 min		
		O Draw labs		CT results: <45 min		
		O troponin		 Door-Thrombolytic: <60 min (Goal <30-45 min) 		
		O CBC,CMP,		Door-in-Door-Out Goal <90 min		
		O PT/PTT				
		O Continuous Cardiac Monitor	ing	NOTE: If hemorrhage and on anticoagulant, goal for	r reversal agent <60	
c		O 02 per TDP		min		
		L/min via				
BP P	arameters:	Pre-thrombolytic BP <185/110	- Maintair	n at <180/105		
		Permissive hypertension if not	a thromb	olytic candidate and no hemorrhage		
		Hemorrhagic stroke BP goal SB	3P <u><</u> 140 -N	Naintain SBP 130-150		
		TRACKING TOOL IS	NOT A PA	ART OF THE PERMANENT RECORD		

Optional Tracking Tool for Stroke Center/Receiving Hospital Use

BCRAC Stroke Tracking Tool - Regional Hospital

Datie	ant Sticker	ED Physicia	an.		
Tale-Neuro Divisician:					
		Admitting	Interro Physician:		
		ED Driver	- DNI-		
<u> </u>		ED Primary	/ RN.		
#	Time		Steps	Flowsheets	
1		First documented time of Patient arr	ival (Private Vehicle or EMS)		
2		LKN		YES	
3		Stroke code/alert called (2222)		YES	
		ED Physician notified		YES	
4		Physician at bedside			
		STAT CT Head (per stroke protocol)			
5		Bleed? YES/NO			
		If no-CTA			
6		STAT CTA (per stroke protocol)			
7		Baseline NIHSS		YES	
		AND NIHSS Prior to lytic			
		AND NIHSS post lytic (see checklist fc	or timing)	YES	
		Handoff NIHSS (Perform together. R	eceiving RN documents)		
		Hemorrhagic stroke: GCS on arriva	GCS prior to transfer	YES	
		Yale Swallow Protocol PASS/FAIL/ or	Deferred due to exclusion criteria		
8		NPO until screened for dysphagia YES			
		Pt meets criteria for thrombolytic? YES/NO			
		Thrombolytic Administration Time			
9		Cosignature required for dose calcula	ation	YES	
		Tele-Neuro consult per ED Physician?	YES/NO		
		Telephone consult only? YES/NO	e consult only? YES/NO		
10		Time Tele- Neuro on screen/telephone?		YES	
Γ	See Appropriate Algorithms	NURSING:	TIMES:		
• E	D Stroke Code/ Alert	O STAT POC plucose	 Stroke Code: LKN 0-6 hrs 		
L	 Hemorrhagic - 	O Result?	 Stroke Alert: LKN 6-24 hrs 		
L	 Ischemic LVO - 	O FKG	Door-Provider: 10 min		
L		O Initiate IV line	Door-CT: <15 min		
L		O Draw labs			
L			- FKC: 425 min		
L			• EKG: <25 min		
L			Door-Lab Results: <25		
			• CT results: <20 min		
		O Continuous Condina Manitarina	Critesuis, <20 min Deer Thrembeli tier		
		0.02 per TDP	 Door-Infombolytic: <30-45 min 		
1			< 30°43 IIIII		
BP P	arameters:	Pre-thrombolytic BP <185/110- Main	tain at <180/105		
Ľ''	ar attractory.	Permissive hypertension if not a thro	mbolytic candidate and no hemorrhage		
1		Hemorrhagic stroke BP goal SBP <14/	0-Maintain SBP 130-150		
	Tempinaglesdoke bi godiobi <u>1</u> 140 malitalitobi 100 150				

NOT A PART OF THE PERMANENT RECORD!

BCRAC Stroke Committee: October 2024

Thrombolytic Eligibility Criteria (Ischemic Stroke):

Inclusion criteria:

If any of the following is not checked, a thrombolytic agent should NOT be administered. I If ALL of the following are checked, proceed with the checklist

o Age 18 years or older.

o Clinical diagnosis of Ischemic Stroke causing a measurable neurologic deficit.

o Time of symptom onset well established to be less than 4.5 hours (270 minutes).

Exclusion criteria:

I If any of the following is marked, DO NOT administer thrombolytic.

o Significant head trauma, prior stroke, or neurosurgery in the past three months.

o Symptoms suggest intracranial hemorrhage.

o Arterial puncture at non-compressible site in the previous 7 days.

o History of previous intracranial hemorrhage.

o Recent intracranial neoplasm, AVM, or aneurysm.

o Full-dose enoxaparin within past 24 hours.

o Bacterial endocarditis.

o Aortic arch dissection.

o GI malignancy or GI bleed within past 21 days.

o Systolic blood pressure greater than 185 mmHg or diastolic greater than 110 mmHg unresponsive to medical therapy.

o Active internal bleeding.

o Active bleeding diathesis, including but not limited to:

I Platelets less than 100,000/mm2

I Heparin received within 48 hours resulting in abnormally elevated aPTT greater than 40 seconds

© Current use of anticoagulant with INR* greater than 1.7 or PT greater than 15 seconds

I Current use of direct oral anticoagulants with elevated sensitive laboratory tests (e.g. aPPT,

International Normalized Ratio, platelet count, TT, or appropriate Xa activity assays).

o Blood glucose concentration less than 50 mg/dL (2.7 mmol/L).

o CT demonstrates multilobar infarction (hypodensity greater than 1/3 cerebral hemisphere) consistent with irreversible injury.

Page 2 Thrombolytic Eligibility Criteria (Ischemic Stroke):

Warnings: Patient is NOT ELIGIBLE for thrombolytic therapy if any ** warning is checked AND patient is in the 3 - 4.5 hour window.

o **Stroke severity - too severe (NIHSS* greater than 25). *National Institute of Health Stroke Scale

- o **Taking oral anticoagulants (e.g. Coumadin).
- o **Advanced Age (80 years or greater).
- o **History of stroke AND diabetes.
- o **Ischemic injury greater than 1/3 of middle cerebral artery territory.
- o Glucose is greater than 400 mg/dL.
- o Rapid improvement or stroke severity is too mild.
- o Life expectancy is less than 1 year or comorbid illness.
- o Recent major trauma or surgery within the past 14 days.
- o Seizure at onset (deficits are postictal).
- o Left heart thrombosis.
- o Pregnancy.
- o Patient or family refused.
- o Care team unable to determine eligibility.

o Increased risk of bleeding due to acute pericarditis, hemostatic defects including those secondary to severe renal or hepatic disease, hemorrhagic retinopathy, septic thrombophlebitis, or AV cannula.

Thrombolytic therapy may be prescribed at physician's discretion after reviewing inclusion/exclusion criteria and weighing risk versus benefit.

STEMI

Summary

As directed by the Governors EMS and Trauma Advisory Council (GETAC), the Big County Regional Advisory Council (BCRAC) has been charged with developing and maintaining a region-wide system and standard of care for patients experiencing an ST elevation myocardial infarction (STEMI). Guidelines from The American Heart Association (AHA) and The American College of Cardiology (ACC) have been incorporated into this document.

The purpose of the Regional STEMI Plan is to establish a uniform set of criteria for triage and transport of acute STEMI patients.

It is important to note that STEMI patients should be recognized as quickly as possible to identify those eligible for thrombolytic or invasive therapy. Copious data have shown that both morbidity and mortality can be reduced by an approach of rapid interventional reperfusion targeted to within ninety minutes of "first medical contact". Further data have demonstrated that in-the-field recognition by pre- hospital providers utilizing 12-lead ECG coupled with pre-hospital notification of the receiving facilities can further reduce time to reperfusion and is associated with further improvement in outcomes. EMS personnel must be trained to recognize, treat and transport ST Elevation Myocardial Infarction (STEMI) patients in a timely manner.

Several studies have also demonstrated that many patients are not treated quickly enough to derive the clinical benefits of reperfusion therapy. System barriers can cause significant delays in treating patients quickly and efficiently. Our goal is to mitigate system related issues and enact the recommendations in this plan.

The primary goal of the BCRAC Regional STEMI Plan is: To develop a STEMI Emergency Care System that, when implemented, will result in decreased cardiac mortality and morbidity in the

BCRAC Region. In order to accomplish this, a number of specific processes are essential. These are:

- 1) The ability to rapidly and accurately identify patients suffering from STEMI.
- 2) Patients who have sustained a STEMI event must receive care in a hospital that has a STEMI treatment program in place which is capable of providing immediate and comprehensive assessment, resuscitation, intervention and definitive care.
- 3) The BCRAC must assist in the coordination of a process for continuous and effective region-wide coordination of pre-hospital and hospital care resources, so that STEMI patients will be most expeditiously transported to the closest available interventional facility capable of performing PCI, so patient care can be provided in a manner that is both appropriate and timely, while establishing and maintaining continuity. To accomplish this process there must be a method of tracking the care capability for STEMI patients and reviewing the quality of the process itself.

Definitions

12-lead electrocardiogram (ECG/EKG) - A test using a device that measures the electrical activity of the heartbeat and can help medical personnel determine if a heart attack has occurred and whether the heart attack was a STEMI or non-STEMI event. When a 12-lead ECG is done, 10 wires (" 12 leads"} are attached to the arms, legs and chest. These wires each record electrical impulses, but from a different position in relation to the heart.

15-lead electrocardiogram (ECG/EKG) – An additional ECG to help identify a posterior STEMI.

<u>Right-sided electrocardiogram (ECG/EKG</u>) – An additional ECG if right ventricular involvement is suspected. Patient may need volume and avoid use of NTG.

Acute Coronary Syndrome (ACS) - Is usually one of three disease processes involving the coronary arteries: STEMI, NSTEMI or Unstable Angina.

<u>Acute Myocardial Infarction (AMI)</u> - The medical term for a heart attack, which occurs when the blood supply to part of the heart muscle itself - the myocardium — is severely reduced or stopped. An AMI should be documented as a STEMI or NSTEMI.

<u>Angina / Unstable Angina</u>- Generally termed "Chest Pain" Angina is chest pain or discomfort that occurs when an area of the heart is deprived of oxygen.

<u>Angioplasty</u> - A procedure used to treat patients with a partially or completely blocked artery that restricts blood flow through the heart. A type of percutaneous coronary intervention (PCI}, this procedure requires a slender balloon-tipped tube to be threaded from an artery to a trouble spot in the artery of the heart. The balloon is then inflated, which compresses the blockage and widens the narrowed artery to restore blood flow.

<u>Balloon Inflation</u> - Another name for angioplasty, which is a surgical procedure used to treat patients with a partially or completely blocked artery that restricts blood flow through the heart. A type of percutaneous coronary intervention (PCI), this procedure requires a slender balloon-tipped tube to be threaded from an artery to a trouble spot in the artery of the heart. The balloon is then inflated, which compresses the blockage and widens the narrowed artery to restore blood flow.

<u>Cath Lab</u> - The department in a medical facility that specializes in cardiac catheterization, which is a procedure to examine blood flow to the heart and test how well the heart is pumping and performs PCI when indicated.

<u>Door-to-Balloon Time (D2B)</u> - The amount of time between a heart attack patient's arrival at the hospital to the time he/she receives percutaneous coronary intervention (PCI}, such as angioplasty.

<u>Door-to-Needle Time (D2N)</u> - The amount of time between a heart attack patient's arrival at the hospital to the time he/she receives clot-busting medications, referred to in medical terms as fibrinolytics or thrombolytics. D2N goal is \leq 30 minutes.

Electrocardiogram (ECG/EKG) - A recorded tracing of the electrical activity of the heart.

Emergency Medical Service (EMS) - A system of health care professionals, facilities and equipment providing pre-hospital emergency care.

<u>First Medical Contact to Balloon (FMC2B)</u> – First documented contact by EMS to the time he/she receives percutaneous coronary intervention (PCI).

<u>Fibrinolytic Therapy</u> - The use of pharmaceuticals or injections of medication to break up a blood clot inside an artery or cavity of the heart so that blood flow can be improved or restored. Also called thrombolytics, this type of treatment is widely available at hospitals across the United States.

Helicopter Emergency Medical Service (HEMS) - A system of health care professionals, facilities and equipment providing prehospital emergency care by air.

<u>Non-PCI hospital</u> - A type of hospital that does not have the means to deliver percutaneous coronary intervention (PCI) 24/7, the preferred means of treating a STEMI heart attack patient if done within the critical 90-minute window. Non-PCI hospitals can: administer clot-busting medicines that meet the health care needs of STEMI patients; refer STEMI patients to PCI hospitals, thus the name PCI-referral hospital; and treat STEMI patients with medications when it is not feasible for them to get to a PCI- capable hospital for treatment in \leq 120 minutes from arrival at PCI-Referral hospital to PCI at receiving hospital.

Non- ST-elevation myocardial infarction (NSTEMI) - A myocardial infarction without 1 mm of ST elevation (or more) in 2 or more contiguous leads. A NSTEMI is usually treated as unstable angina until it is identified through lab reports.

<u>Percutaneous Coronary Intervention (PCI)</u> - The family of medical procedures that uses a "mechanical" means to treat patients with partially or completely restricted blood flow through an artery of the heart. Examples include balloon angioplasty and stents.

<u>PCI-Capable Hospital</u> - A hospital that has the equipment, expertise and facilities to administer percutaneous coronary intervention (PCI}, a mechanical means of treating heart attack patients. These PCI-capable hospitals are called STEMI-receiving hospitals because they are well equipped to receive and treat STEMI patients.

<u>Point of Entry (POE)</u> - The part of the healthcare community where treatment of a patient begins, such as when emergency medical services arrive on the scene or the patient walks into the emergency department at a hospital.

<u>Reperfusion Therapy</u> - One or more techniques to restore blood flow to part of the heart muscle damaged during a heart attack. It may include clot-dissolving drugs (thrombolysis}, balloon angioplasty, stents or surgery.

<u>ST-elevation myocardial infarction (STEMI)</u> - A severe heart attack caused by a prolonged period of blocked blood supply that affects a large area of the heart. These attacks carry a substantial risk of death and disability and call for a quick response by many individuals and systems. It will be easily identified by 1 mm ST elevation (or more} in 2 or more contiguous leads.

ST-elevation myocardial infarction (STEMI) equivalents - Includes:

- New onset Left Bundle Branch Block (LBBB) OR
- Posterior STEMI with ST depression (15-lead ECG needed.) OR
- Multi-lead ST depression with coexistent ST elevation in lead aVR

<u>STEMI System</u> - An integrated group of separate entities focused on reperfusion therapy for STEMI within a region that typically includes emergency medical services (EMS} providers, at least one community (non-PCI or STEMI-referral} hospital and at least one tertiary (PCI-capable or STEMI receiving} hospital. The system may include one or more of the following components: leadership teams of EMS, emergency medicine, cardiology, nursing and administration; standardized communication (i.e., STEMI alert system}; standardized transportation; and data collection and feedback. Please note: In some systems, there may be a single hospital with PCI capabilities that has established protocols with EMS providers and contains at least one of the components stated above.

<u>Thrombolytics</u> - The use of pharmaceuticals or injections of medication to break up a blood clot inside an artery or cavity of the heart so that blood flow can be improved or restored. Also called fibrinolytic therapy, this type of treatment is widely available at hospitals across the United States with a goal of arrival at hospital to thrombolytic administration \leq 30 minutes when FMC2B is not achievable \leq 90 minutes.

Role of the Hospitals

Summary

Active participation on the part of the Hospital emergency departments, catheterization labs, intensive care units and all personnel therein will eventually define the success or failure of this program. Several key activities must be undertaken for the system to be proficient:

1} Collect and report STEMI performance data 2} Assign a STEMI contact

Definition of a PCI Facility

The goal of this effort is to move patients experiencing STEMI to PCI capable hospitals that are capable of performing the procedure rapidly and immediately after the patient presents with STEMI. The definition of a PCI facility, for the purposes of this plan, is any facility that is willing and capable of accepting EMS transported patients for emergent PCI on a 24/7 basis.

Primary PCI is available 24/7 at the following facilities in TSA-D:

1} Hendrick Medical Center North, 1900 Pine St, Abilene, Texas

2} Hendrick Medical Center South, 6250 US-83, Abilene, Texas

Primary PCI is not available 24/7 at the following facilities in TSA-D:

1} Hendrick Medical Center Brownwood – diversion is communicated through EMResource & group text

Primary PCI is <u>not</u> available at the following facilities:

1} Anson General Hospital 2) Coleman County Medical Center 3) Comanche County Medical Center 4} Eastland Memorial Hospital 5} Fisher County Hospital 6) Haskell Memorial Hospital 7} Knox County Hospital 8} Mitchell County Hospital 9) Rolling Plains Memorial Hospital 10} Stephens Memorial Hospital 11} Stonewall Memorial Hospital 12} Throckmorton County Hospital

Data Reporting By Facilities

EMS agencies must have accurate knowledge of a specific facility's ability to perform emergent PCI. It is recommended that hospitals be held to the same standard as required by the American College of Cardiology (ACC) and the American Heart Association (AHA). The ACC and AHA have established a minimum standard for performance as door to balloon time of 90 minutes or less 85% of the time. Additional performance measures are (1) FMC2B \leq 90 minutes or \leq 120 minutes with transport drive > 45 minutes and D2B \leq 30 minutes and STEMI Alert prior to arrival and (2) D2D2B \leq 120 minutes or if unachievable, consider thrombolytics with D2N \leq 30 minutes.

Additionally, inpatient mortality rates will be tracked.

For the first year, the facility performance data will be sent to BCRAC on a biannual basis. In the first year of this process the only information that will be reported out, in a blinded fashion, to BCRAC members is whether the facility has met the minimum ACC/AHA standards.

Facility Representation

Each PCI capable facility should designate a BCRAC contact person.

Facility Diversion

Designated STEMI receiving facilities do not divert STEMI patients. If a regional facility has some PPCI coverage, they must communicate when PPCI is not available. TSA-D facilities will communicate "facility diversion" status promptly and clearly to the regional EMS and other facilities through the EMResource in order to ensure that STEMI patients are transported to the closest appropriate facility.

Facility Triage Criteria

The goal of establishing and implementing facility triage criteria in TSA-D is to ensure that all regional hospitals use standard definitions to classify STEMI patients in order to ensure uniform patient reporting and facilitate inter-hospital transfer decisions.

A confirmed 12-lead should activate a facility's STEMI protocol. After confirming a STEMI, the patient should be transferred immediately to the closest PCI capable hospital if FMC2B can be achieved in ≤ 90 minutes or ≤ 120 minutes if > 45 minute drive AND/OR reperfusion checklist shows contraindication to thrombolytics. Consider administering a thrombolytic with D2N ≤ 30 minutes before transfer when these times are not achievable.

Inter-Facility Hospital Transfers

STEMI patients require specialized care and treatment beyond a non-PCI hospital's capability. STEMI patients require rapid identification and transfer to a PCI capable hospital as soon as possible.

The level of cardiac care resources required for STEMI patients is outlined in the TSA-D Field STEMI Triage Decision Scheme algorithm (page 12). When a suspected STEMI patient is identified, activation of a STEMI ALERT should be initiated as soon as identified. A transferring facility should state that the patient is a "STEMI ALERT" when calling EMS and the accepting PCI capable hospitals.

EMS should be called for transport as soon as identification of STEMI EKG (with goal of 5 minutes or less) These criterions (see attached Regional STEMI Form) are monitored through the regional PI program.

<u>Identification of STEMI Patients & STEMI Transfers</u> - STEMI patients and their treatment requirements for optimal care are identified in the TSA-D facility triage criteria and pre-hospital triage criteria.

<u>STEMI Patient Transport</u> - STEMI patients in TSA-D are transported according to patient need, availability of resources, and environmental conditions. EMS transport may include BLS, ALS, MICU or SCT ground ambulance but due to potential life-threatening complications and need for advanced treatment, ALS or higher is recommended. HEMS transport is also available in this Region.



Role of the EMS

Develop Acute Coronary Syndrome (ACS) Protocols

It is important to develop a standardized ACS protocol for all EMS agencies. There are several treatments and medications considered standards of care that should be instituted on all ACS cases.

- Aspirin-Administer non-enteric coated Aspirin 324 mg PO, chewed, to patients with no history of aspirin allergy and without signs of active or recent bleeding.
- Oxygen-Maintain oxygen saturation >90% with the lowest concentration of supplemental oxygen possible.
- Nitroglycerin-(After 12-lead ECG obtained)-Administer 3 nitroglycerin (tablets or spray) at intervals of 3 to 5 minutes, if the patient is still symptomatic. Monitor for hypotension.
- Nitrates in all forms are contraindicated in the following patients:
 - SBP < 90 mmHg
 - Extreme caution advised in patients with known inferior wall STEMI and suspected right ventricular (RV) involvement. These patients require adequate RV preload. A right-sided ECG should be performed to evaluate the RV infarction.
 - Patients taking phosphodiesterase-5 (PDE-5), Sildenafil (Viagra, Revatio) or Vardenafil (Levitra) in past 24 hours or Tadalafil (Cialis) in the past 36 hours due to potential severe hypotension.
- Narcotics-Morphine or Fentanyl IV PRN for chest pain unrelieved by NTG.
- IV Fluids-Per protocol. Two IV's if possible, avoid wrists/hands. Do NOT delay transport for a second IV.
- Vital Signs-Monitor for hypotension and respiratory depression after administration of NTG, narcotics and anti-hypertensive agent.

The purpose of an ACS protocol is to rapidly recognize STEMI and other cardiac emergencies, treat with appropriate medications, notify the receiving facility as soon as possible, and provide rapid transportation to a PCI facility when indicated.

Acquire 12 Lead ECG Analysis

The ability to rapidly treat a STEMI is predicated on an accurate prehospital assessment to include a 12-lead ECG analysis by EMS providers in the field. The early recognition of a STEMI in the field, allows early activation of the PCI facility. All EMS agencies should acquire 12-lead technology and training.

Report Performance Data

Performance measures and STEMI feedback will be reported by the PCI-Receiving hospitals with assistance from EMS and NPCI-Referral hospitals providing needed information. An EMS report and copy of the 12-lead ECG will follow the patient during their care.

Adopt the STEMI Bypass Guideline

All EMS agencies that do not have a STEMI Bypass Guideline should introduce the BCRAC STEMI Bypass Guideline to their medical directors and administration. The Bypass Guideline has been developed with the thought that most EMS agencies have an ACS protocol currently in place. The recommended guideline (shown below} assumes the care of the patient is still governed by the local medical director; however, this guideline will serve as a regional standard of care. This guideline serves as a template to be used by EMS agencies when formulating their individual plans.

ECG Transmission

Early hospital notification by EMS significantly reduces the door-to- balloon time. PCI-Receiving hospitals will collaborate with EMS to receive 12-lead ECG transmission 24 hours per day/7 days a week.

EMS should transmit 12-lead ECGs if technically feasible, reliable and if a system exists for immediate ECG interpretation by a physician. This is helpful for ECGs that have an uncertain EMS interpretation.

Pre-hospital Triage

To ensure the best possible patient care and utilization of resources, every patient suspected of ACS will be assessed for abnormal vital signs; concurrent disease/predisposing factors; and abnormal 12-lead EKG.

- 1} If a provider is unable to complete a 12-lead ECG, suspected cardiac patients should be taken to the nearest hospital.
- 2) If a provider suspects a STEMI (confirm by 12-lead), the patient should be taken directly to a PCI capable hospital if FMC2B can be achieved in ≤ 90 minutes or ≤ 120 minutes if > 45 minute drive AND/OR reperfusion checklist shows contraindication to thrombolytics.
- 3) If a provider is unable to provide MICU care to the suspected cardiac patient, paramedic intercept should be considered. Paramedic intercept may be by ground or air.
- 4) If transport by ground to the nearest appropriate facility is more than 30 minutes, consider activating the closest HEMS.

Facility Bypass

Regional transport treatment guidelines ensure that patients who meet the triage criteria for activation of the TSA-D Regional STEMI Plan will be transported directly to the closest appropriate PCI capable hospital rather than to the nearest hospital except under the following circumstances:

1} If unable to establish and/or maintain an adequate airway, the patient should be taken to the closest non-PCI hospital for stabilization.

- 2} Medical Control may wish to order bypass in any of the above situations as appropriate, such as when a facility is unable to meet hospital resource criteria or when there are patients in need of specialty care.
- 3} If expected transport time to the nearest appropriate PCI capable hospital is excessive (> 30 minutes} and if FMC2B cannot be achieved in ≤ 90 minutes or ≤ 120 minutes if > 45 minute drive AND/OR reperfusion checklist shows contraindication to thrombolytics, the EMS crew on scene should consider activating HEMS or transport to the closest non- PCI capable facility for fibrinolytic therapy. Should there be any question regarding whether or not to bypass a facility consult with your Base Station Physician (BSP}.

TSA D – EMS Services

Abilene Fire Department-EMS Air Evac Lifeteam 63-Abilene Air Evac Lifeteam Eastland Citizens EMS Coleman County EMS - Sacred Cross Comanche County EMS **Cross Plains EMS Dublin EMS** Eastland Memorial Hospital EMS Eula VFD Fisher County Hospital District EMS Hamlin EMS Haskell County Ambulance Service Heart of Texas EMS-Coleman Jim Ned VFD Knox County EMS Lifeguard Ambulance Service-Brownwood MetroCare Services Abilene-L.P. Mitchell County EMS Native Air of Tex North Runnels Hospital EMS Potosi VFD Ranger Fire Department-EMS Scurry County EMS Shackelford County EMS Stamford EMS Stephens County EMS - Sacred Cross Stonewall Memorial Hospital EMS Sweetwater Fire Department Taylor County EMS Throckmorton County EMS

Contact information can be found on page 48

Field STEMI Triage Decision Scheme

The Purpose of this Decision Scheme is to:

- 1) Rapidly identify STEMI patients who call 911 or present to EMS
- 2) Minimize the time from onset of STEMI symptoms to coronary reperfusion
- 3) Quickly recognize a potential STEMI by 12-lead ECG
- 4) Complete a reperfusion checklist (unless being transported directly to a PCI hospital) to determine thrombolytic eligibility
- 5) Rapidly identify the best hospital destination based on symptom onset time, reperfusion checklist, and predicted transport time
- 6) Call STEMI Alert to the hospital as soon as STEMI is identified.
- 7) Minimize scene time to 15 minutes or less (including a 12-lead ECG)

STEMI Patient (ST Elevation Myocardial Infarction)

- 1) Cardiac symptoms AND
 - a) 12-lead ECG criteria of 1 mm ST elevation (or more) in 2 or more contiguous leads OR
 - b) 12-lead ECG interpretation with an "ACUTE MI" statement OR
 - c) Left Bundle Branch Block NOT KNOWN to be present in the past OR
 - d) Posterior STEMI with ST depression (15-lead ECG needed.) OR
 - e) Multi-lead ST depression with coexistent ST elevation in lead aVR



ECG/EKG Screening Guide

Patients > 18 years old experiencing any of the following:

- 1) Chest pain (any pain between the navel and jaw)
- 2) Chest pressure, discomfort, or tightness
- 3) "Heartburn" or epigastric pain
- 4) Complaints of "heart racing" or "heart too slow"
- 5) Syncope
- 6) Severe weakness
- 7) New onset stroke symptoms
- 8) Difficulty breathing (with no obvious non-cardiac cause)
- 9) Nausea/vomiting (with no obvious non-cardiac cause)

Above patients require ECG in 10 minutes!

Patients (regardless of age) with any of the above symptoms and history of:

- 1) Prior cardiac disease such as heart attack
- 2) A family history of early heart disease
- 3) Diabetes mellitus
- 4) Severe obesity
- 5) Recent illicit drug use (cocaine, methamphetamines)

These patients also require an ECG within 10 minutes!

Present ECG for *immediate* interpretation!

Remember:

- 1) Women and diabetic patients are more likely to present with atypical symptoms
- 2) Elderly patients may have symptoms such as generalized weakness, altered mental status, nausea/vomiting, shortness of breath, diaphoresis, or syncope as their only sign of acute heart attack
- 3) Atypical pain can be in jaw, neck, arm, or upper back.

When in doubt, do the ECG

Big County Regional Advisory Council Regional STEMI Plan STEMI: THROMBOLYTIC CHECKLIST

Photocopy This Form and Leave A Copy With Emergency Department Physician At Bedside

Date	Agency		l Init
#		Patient Name	Unit
	– Age	DOB	
	,	202	
	INDICATIONS FOR USE OF CHECKL	IST	
For P	atient's experiencing chest discomfort for gree 15 minutes and less than 12 hours, AND	eater than	
	12-lead ECG shows STEMI or presumable new LBBB		
ABSOLUTE CON	TRAINDICATIONS	YES	NO
Any prior intracran	ial hemorrhage		
Known structural c	erebral vascular lesion (eg: arteriovenous malformati	ion)	
Known malignant i	ntracranial neoplasm (primary or metastatic)		
Ischemic stroke < 3	8 months, except acute ischemic stroke within 4.5 ho	urs	
Suspected aortic dis	ssection		
Active bleeding or	bleeding diathesis (excluding menses)		
Significant closed-l	head or facial trauma within 3 months		
Intracranial or intra	spinal surgery within 2 months		
Severe uncontrolled	d hypertension (unresponsive to emergency therapy)		
For streptokinase, p	prior treatment within the previous 6 months		
RELATIVE CON	TRAINDICATIONS	VFS	NO
History of chronic	severe poorly controlled hypertension	115	110
Significant hyperter 110mmHg)	nsion on presentation (SBP> 180mmHg or DBP >		
History of prior isc	hemic stroke > 3 months		
Dementia			
Known intracranial	pathology not covered in absolute contraindications		
Traumatic or prolo	nged (>10 minutes) CPR		
Major surgery < 3 v	weeks		
Recent internal blee	eding (within 2- 4 weeks)		
Noncompressible v	ascular punctures		
Pregnancy			
Active peptic ulcer			
Oral anticoagulant	therapy		
Is patient at high i	risk?	YES	NO
Heart rate ≥ 100 bp	m AND systolic BP < 100 mmHg		
Pulmonary edema ((rales)		
~ 0111	1 1)	1	

Contraindications to fibrinolytic therapy

Comments

Reference: 2013 ACCF/AHA Guideline for the management of ST-elevation myocardial infarction

BCRAC Regional STEMI Checklist Form

EMS Checklist	Provider Name:
Step	
Obtain 12 lead	I ECG (Goal <5 min from initial contact)
Activate STEM	Alert (Goal <u><</u> 5 min)
Aspirin 324 mg	; (4 chewable baby aspirin) p.o.
Oxygen therap	y to maintain saturation >90%
IV access (two	large bore- avoid wrist)
Nitroglycerin s	l every 5 min x 3 doses
(Hold if SBP <9	0. hx of erectile dysfunction meds within 36 hours of arrival. STE in leads II, III, and aVF- consider right ventricular involvement)
Other treatme	nt:
Referring Hospital Cl	necklist Hospital Name:
Step	
Door to 12-lea	d ECG performed and shown to provider (Goal <10 min)
Activate STEM	Alert
Request for tr	ansfer to Primary PCI Hospital
PCI Hospital A	cceptance
EMS Called for	transport
12 lead ECG fa	xed to Primary PCI Facility
Oxygen therap	y to maintain saturation >90%
Aspirin 324 mg	ι (4 chewable baby aspirin) p.o.
IV access (two	large bore- avoid wrist)
STAT lab:CBC, (CMP, PT/PTT, Troponin I
Nitroglycerin s	l every 5 min x 3 doses
(Hold if SBP <9	0, hx of erectile dysfunction meds within 36 hours of arrival, STE in leads II, III, and aVF- consider right ventricular involvement)
Heparin Bolus	and Drip
Consider thror	nbolytic using inclusion/exclusion criteria if unable to achieve FMC2B <120 min (Goal Door to thrombolytic <30 min)
Clopidogrel p.	b. if thrombolytic given (300 mg for age ≤75 or 75 mg for age >75)
High-dose stat	in (rosuvastatin ≥ 20 mg)
Notify Primary	PCI Hospital when patient departs with ETA. Primary Nurse should call report to ED Charge Nurse or designee at Primary PCI Hospital
Transfer EMS Checkli	st Provider Name:
Arrival at PCI H	lospital
Notes	
HandOff Report for P	ci
Allergies (Cont	rast or other)
Symptoms wit	h time of onset
Pertinent Hx -	Coronary artery disease/high blood pressure/heart failure/cardiac stents/atrial fibrillation/CABG/Diabetes/Dialysis/Bleeding
Medications g	iven/IV access/Emergency Treatment PTA
Home Medicat	tions
Anticoagulant	s (Coumadin, Lovenox, Xarelto, Pradaxa, Elquis)
Last set of vita	l signs
Family/primar	y contact information
will all creation	about the territor descent at the state for and the state of the second

Utilize this STEMI checklist to guide documentation and handoff report

BCRAC Regional STEMI Checklist Form Instructions

BCRAC will maintain the STEMI Checklist form under the STEMI link on the BCRAC web page for each EMS agency and referring facility to print for their agency/site.

The BCRAC Regional STEMI Checklist Form will be used on any patient with a suspected STEMI or STEMI equivalent.

For the purposes of this program the 'STEMI patient' shall be defined as any patient presenting with symptoms of an acute myocardial infarction and a 12-lead ECG showing STEMI or STEMI equivalent changes as described on the Field STEMI Triage Decision Scheme.

The BCRAC Regional STEMI Checklist Form is intended to assist documentation of required information by EMS and referring facilities for the regional STEMI facilities as well as serve as the tool for the regional STEMI quality improvement process.

Initial EMS Provider

- 1) The EMS provider will initiate a STEMI Checklist form and complete the top portion of the form titled "EMS Checklist".
- 2) The EMS provider shall attach a copy of the initial 12 lead. The 12 lead shall be noted with the patient's name and date of birth.
- 3) If additional documentation is required, a copy of the run sheet may be attached to the EMS copy and forwarded to the Chest Pain Coordinator at the STEMI receiving facility.
- 4) A copy can be made by the EMS provider and maintained by the provider as part of their records for QI purposes.
- 5) Once the EMS copy is made, the form shall be given to the facility and follow the patient.

BCRAC STEMI referral Facility

- 1) When the patient arrives at a non-PCI BCRAC facility, the facility shall complete the section titled "Referring Hospital Checklist".
- 2) If the patient presents directly at the facility by his/her own means, the facility shall initiate the BCRAC STEMI Checklist and mark "N/A" across the EMS Section.
- 3) A copy shall be made by the facility and maintained by the facility according to their policy.
- 4) Once the facility has made a copy, the form shall follow the patient to the STEMI receiving facility.

Transferring EMS Provider

- 1) When the patient is transferred from a non-PCI facility to a regional STEMI receiving Facility, the transferring EMS provider (ground or air medical) shall complete the section titled "Transfer EMS Checklist".
- 2) If additional documentation is required, a copy of the run sheet shall be attached to the EMS copy and forwarded to the Chest Pain Coordinator at the STEMI receiving facility.
- 3) A copy can be made by the EMS provider and maintained by the provider as part of their records for QI purposes.
- Once the EMS copy is made, the form shall be given to the STEMI receiving facility and forwarded to the AMI Coordinator.

BCRAC STEMI Receiving Facility

1) When the patient arrives at a PCI - capable Facility, the STEMI ALERT form will be forwarded to the AMI Coordinator.

The STEMI receiving Facility shall maintain the original sheet as part of the facility's record. The contact information for each STEMI receiving facilities AMI Coordinator will be maintained on the BCRAC website.

Goal

The goals for system performance improvement in TSA-D are to establish a method for monitoring and evaluating system performance over time and to assess the impact of STEMI system development.

Objectives

- 1) To provide a multidisciplinary forum for STEMI care providers to evaluate STEMI patient outcomes from a system perspective and to assure the optimal delivery of cardiac care.
- 2) To facilitate the sharing of data, feedback, metrics and goals.
- 3) To provide a process for medical oversight of regional STEMI and EMS operations.

Discussion

In order to assess the impact of regional STEMI development, system performance must be monitored and evaluated from an outcomes perspective. A plan for the evaluation of operations is needed to determine if system development is meeting its stated goals.

<u>Authority</u> - The authority and responsibility for regional quality improvement rests with the Regional Advisory Council. This will be accomplished in a comprehensive, integrated manner through the work of the STEMI and Pre-hospital committees.

<u>Scope & Process</u> - The STEMI Committee will determine the type of data and manner of collection, set the agenda for the PI process within the regularly-scheduled meetings of the committee, and identify the events and indicators to be evaluated and monitored. Indicator identification will be based on high risk, high volume, and problem prone parameters. Indicators will be objective, measurable markers that reflect STEMI resources, procedural/patient care techniques, and or systems/process outcomes. Indicator identification may be deferred to Primary PCI hospitals.

Occurrences will be evaluated from a system, outcomes prospective and sentinel events will be evaluated on a case by case basis. Activities and educational offerings will be presented to address knowledge deficits and case presentations or other appropriate mediums will be designed to address systems and behavioral problems. All actions will focus on the opportunity to improve patient care and systems operation. The results from committee activities will be summarized and communicated to the RAC membership. Problems identified that require further action will be shared with the persons and entities involved, for follow-up and loop closure. Committee follow-up and outcome reports will be communicated on a standard format (please see attached).

The functions and effectiveness of BCRAC performance improvement process will be evaluated on an annual basis in conjunction with the annual evaluation of the BCRAC bylaws. All PI activities and committee proceedings are strictly confidential. Individuals involved in performance management activities will not be asked to review cases in which they are professionally involved, but will be given the opportunity to participate in the review process.

<u>Data Collection</u> - PI data will be collected by the PCI capable hospitals. Non-PCI capable hospitals and EMS will not be responsible for reporting directly to the BCRAC, but will be responsible for providing the PCI capable hospitals with information that they are in need of or that is lacking from patient charts. Sentinel events will be used to focus attention on specific situations/occurrences of major significance to patient care outcomes.

<u>Confidentiality</u> - All information and materials provided and/or presented during PI meetings are strictly confidential. See attached form.

BCRAC facility and EMS provider data related to the following PI indicators are reviewed during the quarterly ST EMI Committee meetings. The STEMI Alert Form is reviewed and will be updated as needed annually.

<u>STEMI Plan Maintenance</u>--The medical field is ever changing for a multitude of reasons. Due to this, there may be need for both minor and major changes. The STEMI Committee will conduct ongoing and annual reviews of the STEMI Plan. The STEMI Committee will make minor corrections and revisions as needed and agreed upon by the STEMI Committee. Major changes will be brought before the general assembly. The General Assembly will be advised of minor changes or corrections and the website will be updated with the most up-to-date plan.

Reporting Quarters

BCRAC regional PI data-reporting will be done biannually and in accordance with the Primary PCI hospitals quarters to ensure that all information is up-to-date and accurate.

Statement of Confidentiality

Medical Performance Improvement provides an objective mechanism to evaluate trauma and emergency care, facilitates the sharing of information, knowledge, and scientific data, and provides a forum for medical directors and other physicians to review the performance of the regional systems to assure the optimal delivery of trauma and emergency care. The direction of the committee comes from the Texas EMS Rules: Section 157.124 Regional EMS Trauma Systems: (3) (k) of the EMS Rules (effective 2/17/92) requires the development of a "performance management program that evaluates outcome from a system perspective"

Committee members engaged in medical care review have protection from disclosure of proceedings, under <u>Section 773.095 RECORDS OF PROCEEDINGS CONFIDENTIAL</u> of the Texas Health and Safety Code as follows:

- The proceedings and records of organized committees of hospitals, medical societies, emergency medical service providers, or first responder organizations relating to the review, evaluation, or improvement of an emergency medical services provider, a first responder organization, or emergency medical services personnel are confidential and not subject to disclosure by court subpoena or otherwise.
- 2) The records and proceedings may be used by the committee only in exercise of proper committee functions.
- 3) This section does not apply to records made or maintained in the regular course of business by an emergency medical services provider, a first responder organization, or emergency medical services personnel.

Section 773.096 IMMUNITY FOR COMMITTEE MEMBERS

"A member of an organized committee under Section 773.095 is not liable for damages to a person for an action taken or recommendation made within the scope of the functions of the committee if the committee member acts without malice and in the reasonable belief that the action or recommendation is warranted by the facts known to the committee member."

TRAUMA PLAN

PURPOSE: The purpose of BCRAC shall be to facilitate the development, implementation, and operation of a comprehensive trauma care system based on accepted standards of care to decrease morbidity and mortality resulting from trauma. BCRAC will solicit participation from health care facilities, organizations, entities and professional societies involved in health care, and community representatives within Trauma Service

Area D (TSA-D) established by the Texas Department of State Health Services (DSHS). BCRAC will encourage multi-community participation in providing trauma care, work to promote the improvement of facilities and services, and cooperate with all member entities agencies and organizations in the establishment of an efficient system of care for all injured patients. BCRAC shall develop the plan for a regional comprehensive trauma system that meets as a minimum the requirements of the DSHS, and which shall address:

- A. Prevention
- B. Access to the system
- C. Communications
- D. Medical advisory activity
- E. Pre-hospital triage
- F. Bypass protocols
- G. Diversion policies
- H. Facility triage
- I. Inter-hospital transfers
- J. Rehabilitation access
- K. Assistance in the planning and process of designation for trauma facilities, including the identification of lead facilities
- L. Performance improvement program that evaluates outcome from a system perspective
- M. Professional education
- N. Disaster planning
- O. System development status and ongoing evaluation
- P. Budget/Finance
- Q Strategic planning
- T. Public education

BIG COUNTRY REGIONAL ADVISORY COUNCIL TSA – D

EXECUTIVE COMMITTEE MEMBERS

OFFICERS:

Russel Thomas Jason Gruben Sarah Alvarez Marta Pagura Chair Vice-Chair Secretary Treasurer Scurry County EMS Mitchell County EMS Hendrick Medical South Abilene Air EVAC

HOSPITAL REPRESENTATIVES:

Lexie Feist Sheila Kuelher Tammy Hamilton Deni Davis Kinsi Voss Stephanie Chapa Comanche County Hospital Knox County Hospital Fisher County Hospital Rolling Plains Hospital Throckmorton Co Hos Hendrick Medical North

EMS REPRESENTATIVES:

Steven Hobbs	AirMethods
Aaron Maxwell	Abilene Fire Department
David Allman	Taylor County EMS
Jimmy Bryant	MetroCare

FIRST RESPONDER REPRESENTATIVE:

Jonathan Galinak

Eula VFD

TSA D - EMS SERVICES

Abilene Fire Dept

Counties Served: Taylor 250 Grape St, Abilene, Tx 79601 EMS Director: Candelario Flores Email: cande.flores@abilenetx.gov Phn # 3256766099 Fax # RAC Rep: Aaron Maxwell

Abilene Fire Dept-FRO

Counties Served: Taylor 250 Grape St, Abilene, Tx 79601 EMS Director: Candelario Flores Email: cande.flores@abilenetx.gov Phn # 3256766099 Fax # RAC Rep: Justin Ray

Air Evac Lifeteam 63

Counties Serviced: 1900 Pine Street, Abilene, Tx 79601 EMS Director: Marta Pagura Email: marta.pagura@gmr.net Phone # 325-670-3200 Fax #325-670-2996 RAC Rep: Marta Pagura

Air Evac Lifeteam 115

Counties Serviced: 9614 IH 20W, Eastland, Tx 76448 EMS Director: Stephanie Wood Email: stephanie.wood@gmr.net Phone # 254-433-1711 Fax #254-629-8532 RAC Rep: Stephanie Wood

<u>Citizens EMS</u>

Counties Serviced: Callahan 911 S 1st St W, Blg A, Clyde, Tx 795010 EMS Director: Kellie Batangan Email: administrator@citizensems.net Phone # 325-939-47317 Fax #3258934127 RAC Rep: Kellie Batangan

<u>Cross Plains Emergency Medical</u> <u>Service</u>

Counties Serviced: Callahan, Brown, Eastland, Coleman 116 NW 2nd Street, Cross Plains, 76443 EMS Director: Susan Schaefer Email: susan.schaefer49@gmail.com Phone # 3256653553 Fax #2547254080 RAC Rep: Delany Golson

City of Ranger FD-EMS

Counties Serviced: Eastland 500 Loop 254 East, Ranger, 76470 EMS Director: Darrell Fox Email: firechief@rangertx.gov Phone # 254-210-3026 Fax #254-647-3398 RAC Rep: Darrell Fox

Comanche County EMS

Counties Serviced: Comanche 210 SA. Houston St., Comanche, 76442 EMS Director: Joshua Chapman Email: jchapman@comanchecmc.com Phone # 325-330-0499 Fax #325-356-3919 RAC Rep: Joshua Chapman

Eastland EMS

Counties Serviced: Eastland 304 S. Daugherty, Eastland, 76448 EMS Director: Gene Wright Email: gene.wright@emhd.org Phone # 254-631-5261 Fax #254-629-3212 RAC Rep: Gene Wright

Fisher County Hospital

District EMS

Counties Serviced: Fisher 774 St Hwy 70 N, Rotan, 79546 E M S Director: Chase Jarvis Email: cjarvis@fishercountyhospital.com Phone # 325-735-2256 ext 281 Fax #325-735-3070 RAC Rep: Chase Jarvis

Hamlin EMS

Counties Serviced: Hamlin 632 NW 2nd, Hamlin, Tx 79520 EMS Director: Gary Morgansen Email: ems@hamlinhealth.org Phone # 325-576-3646 Fax # 325-576-3797 RAC Rep: Allen B

Haskell County Ambulance

Service, Inc.

Counties Serviced: Haskell 1300 S 1st, Haskell, 79521 EMS Director: Melissa Strawbridge Email: haskellems@gmail.com Phone # 940-550-5636 Fax #940-864-2575 RAC Rep: Melissa Strawbridge

Knox EMS

Counties Serviced: Knox, Baylor, Haskell, King, Foard 701 SE 5th, Knox City, 79529 EMS Director: Stephen Keuhler Email: knoxhospital@srccacess.net Phone # 940-657-3535 Fax #940-657-1313 RAC Rep: Logan Morrow

LifeGuard Ambulance Service

Counties Served: Brown, Coleman 1611 Cogin Ave, Brownwood, Tx 76801 EMS Director: Kenny Dennis Email: kenny.dennis@gmr.net Phone # 325-268-7897 Fax # RAC Red: Kenny Dennis

MetroCare Services Abilene LP

Counties Serviced: Taylor, Callahan, Jones, Shackelford 4550 S. 3rd, Abilene, 79605 EMS Director: Janet Schuessler Email: janet.schuessler@gmr.net Phone # 325-691-8906 Fax #325-690-0625 RAC Rep: James Bryant

Mitchell County EMS

Counties Serviced: MITCHELL 1602 Chestnut, Colorado City, 79512 EMS Director: Jason Gruben Email: jgruben@mitchellcountyhospital.com Phone # 325-728-3483 Fax #325-728-9153 RAC Rep: Jason Gruben

Native Air of Texas

Counties Serviced: Scurry, Nolan, Kent, Stonewall, Fisher, Mitchell, Howard, Bordan 5305 Etgen Blvd, Snyder, 79549 EMS Director: Eric Connor Email: eric.conner@airmethods.com Phone # 325-573-2333 Fax #325-573-2365 RAC Rep: Steven Hobbs

Sacred Cross EMS

Stonewall Mem Hos EMS

Counties Serviced: Jones, Kent, King 821 N Broadway, Aspermont, Tx 79502 EMS Director: Mylinda Olson

Email: mylinda.olson@stonewallhospital.org Phone # 940-200-0152 Fax # RAC Rep: Mylinda Olson

Sweetwater Fire Department

Counties Serviced: Nolan 900 E. Broadway, Sweetwater, 79556 EMS Director: Tad Baird Email: tbaird@coswtr.org Phone # 325-235-4304 Fax #325-933-6578 RAC Rep: Bryan Buckley

Scurry County EMS

Counties Serviced: Scurry 3902 College Ave., Snyder, 79549 EMS Director: Jason Tyler Email: jason.tyler@co.scurry.tx.us Phone # 325-573-1912 Fax #325-573-0533 RAC Rep: Russel Thomas

Shackelford County EMS

Counties Serviced: Shackelford 840 Gregg St., Albany, 76430 EMS Director: Mateo Millan Email: mmillan@schdtx.com Phone # 3257623313 Fax #3257622342 RAC Rep: Ashton McDonald

Stamford EMS, Inc.

Counties Serviced: Jones, Haskell, Shackelford, Throckmorton, Stonewall 301 E. Hamilton, Stamford, 79553 EMS Director: Christopher McDonald Email: emsstamford@gmail.com Phone # 325-338-3871 Fax #325-773-2970 RAC Rep: Christopher McDonald

Taylor County EMS

Counties Serviced: Taylor County 1458 County Road 314, Abilene, 79606 EMS Director: David Allman Email: david.allman@taylorcountyems.com Phone # 325-733-7098 Fax #888-317-8101 RAC Rep: David Allman

Throckmorton County EMS

Counties Serviced: Throckmorton 802 North Minter, Throckmorton, 76483 EMS Director: Tina Hantz Email: hantztina@windstream.net Phone # 940-849-2151 Fax #940-849-7141 RAC Rep: Kelby Hodges

TRAUMA SERVICE AREA-D REGIONAL TRAUMA PLAN

TRAUMA SERVICE AREA-D PARTICIPATION REOUIREMENTS AND HISTORY

The first meeting of Trauma Service Area-D was held in 1992 between Abilene Regional Medical Center and Hendrick Health Systems. All entities throughout the region were contacted including EMS agencies, hospitals and physicians. Representatives from Abilene Regional Medical Center and Hendrick Health Systems visited each facility within the TSA-D region. At this time administration and medical staff were encouraged to seek Trauma designation and to participate in their designated Regional Advisory Council.

Based upon the decision of the Texas Department of State Health Services, Trauma Service Area-D includes the following counties:

- Brown
- Callahan
- Coleman
- Eastland
- Fisher
- Hamlin
- Haskell
- Jones
- Knox
- Nolan
- Mitchell
- Shackelford
- Stephens
- Stonewall
- Taylor
- Throckmorton

The Big County Regional Advisory Council encourages each involved entity to be accountable for participation in order to remain in compliance with the standards set forth by the Texas Department of State Health Services. Active participation is required to have an effective and efficient region-wide trauma system.

Regional Advisory Council meeting notices are emailed and posted on the RAC webpage (www.bigcountryrac.org) 7 to 10 days prior to scheduled meetings.

By-laws have been incorporated and a membership list made. Most of the hospitals and EMS services have been and continue to be active participants in the Big Country Regional Advisory Council. The current requirements to be considered active and in good standing with Big Country Regional Advisory Council are as follows:

• Attendance at seventy-five (75%) percent of the regularly scheduled General Assembly meetings each fiscal year.

• Participation at the committee level in at least fifty (50%) percent of the regularly scheduled committee meetings of at least one (1) standing committee per fiscal year.

• Completion of the annual protocol affidavit to include bypass and diversion protocols.

• Completion of annual needs assessment form whether or not needs are contemplated for the fiscal year. E. Participation, as requested, in the BCRAC SQIC process.

• Submit all receipts and paperwork associated with funding to the Treasurer by the date set by the Treasurer in each funding cycle.

• Payment of all assessed dues by December 1st of each year.

• Participation in the Texas EMS Trauma Registry System, inclusive of hospitals and EMS providers, as defined by Texas Department of State Health Services.

• BCRAC participation will be recorded and kept by the Secretary and will be based upon the State of Texas' fiscal year September 1 through August 31.

• Participation on EMSystem which is to be updated daily by the lead facilities, Hendrick Medical Center and Abilene Regional Medical Center. All other First

Responders, EMS Services, and hospitals will update at least weekly, or as requested by RAC-D or EMSystem requirements.

Meeting rosters are kept. These rosters serve as the identifiable means of tracking each entities compliance with the Regional Advisory Council guidelines. Attendance records are maintained by the secretary. These sign-in rosters are mailed to the State.

Hospitals and EMS agencies within Trauma Service Area-D are encouraged and invited to participate with the Big Country Regional Advisory Council. Executive members are available to assist with designation and the re-designation process of trauma facilities as needed.

TRAUMA SERVICE AREA – D REGIONAL ADVISORY COUNCIL

PRE-HOSPITAL TRIAGE AND TRANSPORT

INTRODUCTION

A trauma patient can be identified as a patient experiencing a severe injury which involves a single or multiple organ system. A trauma patient is an individual who experiences external blunt or a penetrating force that damages any anatomical structure causing and immediate threat to life or limb.

GOAL

Trauma patients who are medically unstable or have multiple and/or severe injuries will be quickly identified and transported to a trauma designated hospital. Triage, transfer, bypass and diversion protocols are basic guidelines and standards for Trauma Service Area-D members. Big Country Regional Advisory Council members are encouraged to adopt these protocols and utilize them both for the regional plan and individualized entity protocols.

Triage, transfer, by-pass and diversion are terms that refer to the movement of patients according to their medical need.

Triage: Identify the trauma patients and determine their immediate need to preserve life and/or limb.

Transfer: Movement of a patient from one hospital to another based on the patients medical need.

Bypass: Movement of a trauma patient from the scene to a specific hospital not necessarily the nearest hospital based on the patient's medical need.

Diversion: Movement of a trauma patient from the scene to an alternative hospital capable of providing the most appropriate care due to the inability of the nearest hospital to provide such care.

A Trauma patient may be defined as a patient who presents with the following criteria:

- 1. Glasgow Coma Score less than or equal to 13.
- 2. Revised Trauma Score less than or equal to 11.
- 3. Clinical presentation of:
 - a. Laryngeal or tracheal deviation
 - b. Pneumothorax
 - c. Hemothorax
 - d. Flail chest

- e. Open chest wound
- f. Cardiac injury
- g. Pelvic fracture
- h. Long bone fracture
- 4. Suspected spinal cord injury.
- 5. Penetrating injury to head, neck, chest abdomen of groin.
- 6. Evidence of blunt trauma
 - a. Fall from 20 feet or more
 - b. MVC with victim ejected
 - c. Pedestrian hit by motor vehicle
- 7. Injury to extremity with compromised circulation.
- 8. Total or partial amputation of extremity above the digits.
- 9. Crush injury with numbness or severe pain.
- 10. Paresthesia or total loss of movement.
- 11. Potential for disruption of organ systems.

Decision Criteria:

In the event of trauma, accurate and expedient patient assessment by the first EMS providers to the scene is the key to appropriate trauma patient care. A Triage Decision Scheme has been developed to assist EMS with appropriate patient transport and destination. After patient assessment and vital signs EMS medical control is consulted in regards to remaining questions of patient disposition and treatment. Major trauma patients are then classified as either "critical" or "urgent". The Triage algorithm is then followed to transport the patient to the most appropriate facility.

Critical patients are hemodynamic or neurologically unstable, as well as anatomical injury patterns that place them at significant risk. Urgent patients are those that are evaluated for mechanisms of injury, high energy impact, and age or disease specific history.

FACILITY TRIAGE CRITERIA

Purpose

The purposes of the Regional Triage/Transfer Decision Scheme are:

- 1. to categorize patients for determination of facility transport and/or transfer
- 2. to specify facility action plans for transfer of patients
- 3. to include pediatric and bun criteria for patient transport and/or transfer

Description of Triage/Transfer Decision Scheme

The Triage/Transfer Decision Scheme was developed by the Bypass/Diversion Committee. This scheme is to serve as a model for BCRAC to incorporate trauma designated hospitals Levels I-IV. The Triage Decision Scheme is an algorithm approach to differentiating patient categories as well as a mechanism for activation of facility Trauma Team Alerts.

Patient Categories – The Triage/Transfer Decision Scheme defines patient categories as critical and urgent.

Critical patients meeting criteria of instability hemodynamicly and neurological functions, as well as specific anatomical injuries that places the patient at a high suspicion for significant risk.

Urgent categorized patients are those who are evaluated for evidence of mechanism of injury, high energy impact, and/or age and disease specific history.

Facility Triage Action Plan

The facility triage action plan is included within the Triage/Transfer Decision Scheme to assist facilities in determining where a trauma patient should be transferred. It includes the facilities that should admit the trauma patients, the facilities that should stabilize and transfer the patients, and defines the level of destination needed for facilities to receive the transfer. Guidelines for aeromedical transport are included within this to assist facilities in assuring that "the right patient, gets the right facility, in the right amount of time."

FACILITY TRIAGE CRITERIA FOR TRANSFERS

1. The transfer of a patient may not be based on discrimination of race, religion, national origin, age, sex, physical condition of economic status.

2. Hospital administrators may negotiate and execute patient transfer agreements with other hospitals in order to facilitate the transfer of patients.

3. When a patient arrives at a hospital seeking medical treatment the patient must be evaluated by a Physician within 30 minutes of the patients' arrival.

4. The provider on call for the Emergency Department will determine and order life support measures that are medically appropriate to stabilize the patient prior to transfer and to sustain the patient during transfer.

5. The transferring physician shall secure a receiving physician and hospital that will meet the patients' medical needs.

6. The receiving hospital will accept the patient for medical treatment and hospital care.

The transfer of patients' may occur routinely or as part of a regionalized plan for obtaining optimal care of patients at a more appropriate or specialized facility.

1. Every patient will be evaluated and a level of care will be determined. If the receiving hospital is unable to provide the patient's medical needs, the patient will be transferred.

2. All efforts within Trauma Service Area-D will be made to see that patients are transferred to trauma designated facilities.

3. All patients will be transferred to a higher level of care.

4. The patient or responsible party has the right to request a physician or hospital of their choice.

5. In the case of a regional disaster, each area will assess their damage ability to provide care. Triage and transfer will be done according to the regional disaster plan.

6. If a patient's condition requires a transfer to a higher level of care, all efforts will be made to accomplish this within 2 hours of the patients arrival at the receiving hospital.

INTER-FACILITY TRANSFERS

Trauma patients requiring specialized treatment or specialized care are identified via the Triage/Transfer Decision Scheme. Transfer to an appropriate facility is based on this criterion.

Written transfer agreements are available to the major tertiary care facilities within the region. These agreements may be broad in nature or specific, i.e. burn or pediatric.

TRAUMA SERVICE AREA-D REGIONAL TRAUM PLAN

FACILITY TRIAGE CRITERIA AND INTER-HOSPITAL TRANSFERS

PROTOCOL FOR TRANSFER

1. Obtain order from the physician for transfer.

2. Obtain hospital acceptance from receiving hospital.

3. Complete Memorandum of Transfer (MOT)

4. Complete the Patient Request/Refusal/Consent for transfer form, this form must be signed by the patient or responsible party.

5. The transferring physician must complete a Physician Assessment and Certification Form.

6. The carbon copy of the MOT, consent for transfer form and a copy of the Physician assessment and certification form is kept by the transferring hospital.

7. The original MOT, a copy of the consent to transfer form and Physician assessment and certification form along with copies of all lab work, x-ray's, medication administration records and any other pertinent patient information is sent to the receiving hospital.

8. If the transferring physician is not available at the time of transfer, and if the patient has been evaluated by the transferring physician, the RN in charge of the patient may sign the MOT as a verbal or telephone order.

TRAUMA SERVICE AREA-D REGIONAL TRAUM PLAN

PREHOSPITAL TRIAGE CRITERIA

A Triage/Transfer Decision Scheme has been developed by the Big Country Regional Advisory Council to assist facilities in assuring the patient destination is appropriate. It is the common goal within the BCRAC that getting "the right patient, to the right facility, in the right amount of time/"

Major trauma patients are categorized as "Critical" or "Urgent" of the Triage/Transfer Decision Scheme. During the initial assessment of trauma patients the appropriate treatment and transfer plan is initiated. Pediatric and burn patients are specifically addressed in the scheme. Patient vital signs, Glasgow Coma Scale and Revised Trauma Scores are indicators in the Triage/Transfer Decision Scheme.

Trauma centers are identified by the resources available by the institution. Triage and transport protocols are based on the hospitals capabilities. Patients who sustain major injuries require care at a higher level of care trauma facility. If the injury occurs in a rural area of the trauma service area initial stabilization may be done at a Level III or Level IV trauma center. Their clinical needs may include rapid transfer/transport to a Level I or Level II facility.

Trauma Service Area-D utilizes Enhanced 9-1-1 capabilities for accessing the EMS system. Emergency Vehicles are dispatched to the patients' proximity. Trauma facilities are notified of incoming patients via radio or cellular phone communication from ambulances and aeromedical transportation. There are 46 ground EMS services and one air medical service providing emergency care and transport to trauma centers. Ground ambulances follow treatment and transportation guidelines found in the BCRAC protocol section.

Pre-hospital protocols are reviewed on an annual basis for updates and revisions. Classes are provided to pre-hospital care personnel with information and recommended changes in patient care.

Texas Department of State Health Services, Bureau of Emergency Management are among the regulatory agencies for the emergency vehicles, trauma facilities, equipment and personnel within our trauma service area.

Within the trauma regional plan you will find a list of Trauma designated hospitals and EMS services that serve within Trauma Service Area-D.

BYPASS PROTOCOLS

Guidelines for facility, bypass protocols:

Transport protocols must ensure that patients who meet triage criteria for activation of a regional trauma system (RTS) plan will be transported directly to an appropriate trauma facility rather than to the nearest hospital except under the following circumstances:

1. If unable to establish and/or maintain an adequate airway, or in the case of traumatic cardiac arrest, the patient should be taken to the nearest acute care facility for stabilization.

2. A general facility may be appropriate if the expected transport time to the lead facility is excessive (see #5 below).

3. A basic facility may be appropriate for immediate evaluation and stabilization if the expected transport time to a trauma facility is excessive (see #5 below).

4. Medical control may order bypass for any of the above situations, when a facility is unable to meet the hospital resource criteria or when the patient is in need of specialty care.

5. If expected transport time is excessive (25 minutes) or if a lengthy extrication time (15 minutes), consider activating air transportation resources.

NOTE: Questions regarding bypassing a facility should be directed to a medical control for a final decision.

EMS and Facility Triage Criteria for Facility Bypass should be considered. (Criteria guidelines enclosed.)

DIVERSION PROTOCOL

Guidelines for Diversion Protocol

Each facility will designate a person (ED Physician) to be responsible for decisions regarding diversion.

- 1. Each facility will develop a procedure on how to put their facility on diversion status. These procedures will be presented to the RAC Bypass and Diversion Committee. A facility may put on a diversion status if:
 - Trauma Surgeon is not available
 - Internal disaster
 - Specialty Surgeon (Neuro, Ortho) unavailable
 - Specialty equipment (CT scanner, MRI) unavailable
- 2. A record must be kept of why their facility was put on a diversion status.
- 3. Policies and procedures must be in place for plans to open up critical-care beds.
- 4. Each facility must have a local Mass Casualty protocol and knowledge of how to activate the region-wide mass casualty plan.
- 5. Level I and II facilities must notify Regional Trauma Communications Center of diversion status on a daily basis.

****Aside from the BCRAC approved diversion protocol each hospital is responsible for developing a diversion policy and procedure.

<u>Criteria for the consideration of air medical transport of trauma</u> <u>patients:</u>

1. The need to rapidly transport a patient to an appropriate facility for specialized care

- 2. Weather and /or road conditions that might delay ground transport
- 3. Extrication of a patient takes longer than 20 minutes
- 4. Utilization of ground ambulance leaves local community without adequate ambulance coverage
- 5. Multiple victims
- 6. Mechanism of injury
- 7. MVC with crash speed of 20 MPH or more without restraints
- 8. MVC with passenger compartment intrusion of 12 inches or more
- 9. MVC with rearward displacement of front axle
- 10. Gross deformity of patient's point of contact (steering wheel, dash or windshield)
- 11. Ejection from a moving vehicle
- 12. MVC with death of an occupant in same vehicle
- 13. Rollover MVC unrestrained occupant
- 14. MVC with victim ejected at 20 MPH or more
- 15. Pedestrian struck at 20 MPH or more
- 16. Patient under 12 years old struck by an automobile
- 17. Falls of 20 ft or more or greater than 3 time the patient height
- 18. Near drowning

PHYSIOLGIC AND ANATOMIC CRITERIA

- 1. Patients over 55y/o or under 5 y/o with multi system trauma
- 2. Cardiac, respiratory or any significant underlying disease process
- 3. Revised Trauma score of less than 12
- 4. Patients with a systolic B/P of less than 90
- 5. Heart rate of less than 60 or greater than 120
- 6. Respiratory rate of less than 10 or greater than 30
- 7. Glascow Coma Scale of less than 10
- 8. Potential air way compromise
- 9. Flail chest
- 10. Paralysis or suspected spinal injury
- 11. Loss of consciousness
- 12. Penetrating injury between the thigh and neck
- 13. Crushing injury to abdomen, chest, or head
- 14. Major amputation above the ankle or wrist
- 15. Scalping or degloving injury
- 16. Any impalement injury
- 17. 2 or more long bone fractures or a major pelvic fracture
- 18. OB trauma

INDICATIONS FOR BURN PATIENTS

1. Greater than 15% of body surface area burned or full thickness burn to greater than 5% body surface area

- 2. Major burns to face, hand, feet, or perineum
- 3. Major chemical burn
- 4. High voltage electrical burn
- 5. Burns associated with other trauma

TRAUMA SERVICE AREA – D REGIONAL PLAN

CONFIDENTIAL PEER REVIEW

Big Country Regional Advisory Cou	ncil CQI Data Collection
Date:Month(s):	
Reporting Hospital:	
Average Trauma Patient Age:	
Sex: MaleFemale(# of each)	
Race: CaucasianHispanicBlack	Other(# of each) Mechanism
of Injury: Blunt (MVA, Fall etc.)	# Penetrating (GSW, Stab)#
Other#	
TOTAL NUMBER: Admitted Transferre	ed Deaths % Compliance
 Ambulance scene time > 20 minutes Total # of patients arriving by Ambulance 	
# > 20 min # < 20 min Extended scene time related to:	% compliance
a. extricationyes no	Average Ambulance Scene time
b. delayed patient accessyesno c. multiple victimsyesno d. other	
2. Trauma patients from admission until transfer, death or admit.	
a. serial vital signs (including temp) documented <u>y</u> es <u>n</u> o	% compliance
b. serial GCS/RTSyesno	
 3. Comatose trauma patient (GCS < / = 8) leaving ED before definitive airway is established. Total # of comatose trauma Patients 	% compliance
4. Number ER patientsmorbidity Number ER patientsmortality	% compliance

*** Please report the total number patients that met each criterion.

TRAUMA SERVICE AREA – D REGIONAL PLAN

CONFIDENTIAL PEER REVIEW

Reporting Hospital: _____ Date: _____

Number of Physicians staffing the Emergency Department: ______ # of Mid-Levels with ATLS: ______ # of Mid-Levels without ATLS: ______

of Mid-Levels with ACLS: ______ # of Mid-Levels without ACLS: _____

of Mid-Levels with PALS/ENPC: # of Mid-Levels without PALS/ENPC: # of Mid-Levels with TNCC: # of Mid-Levels without TNCC:

Threshold 100% %Compliance _____

Number of RN's staffing the Emergency Department ______ # of RN's with ACLS: ______ # of RN's without ACLS: ______

of RN's with PALS/ENPC: # of RN's without PALS/ENPC: # of RN's with TNCC : # of RN's without TNCC:

Threshold 100% % Compliance_____

TRAUMA SERIVE AREA – D REGIONAL PLAN

BREAKDOWN OF IN-FACILITY TIME PRIOR TO TRANSFER

CONFIDENTIAL PEER REVIEW

Date: _____Month(s): _____ Reporting Hospital:

Review Sample: 100 % of Trauma patients transferred to another facility.

Trauma patient – arrival time at transferring hospital till departure time of transfer to another facility.

TRANSFERRED TO HIGHER LEVEL OF CARE

60 minutes or less _____ 60 – 90 minutes _____ 90 – 120 minutes _____ 120 minutes or more

ARRIVAL TIME TILL TIME OF DECISION FOR TRANSFER HIGHER LEVEL OF CARE

60 minutes or less _____ 60 – 90 minutes _____ 90 – 120 minutes _____ 120 minutes or more _____

RECEIVING HOSPITALS ACCEPTANCE TIME

60 minutes or less _____ 60 – 90 minutes _____ 90 – 120 minutes _____ 120 minutes or more _____

CONTRBUTING FACTORS (enter total applicable patients in each category-patients maybe counted in more than once category)

TRAUMA SERVICE AREA – D REGIONAL PLAN

CONFIDENTIAL PEER REVIEW

Date:	N	1onth(s):
Review	Sample:	100% of trauma patients arriving via EMS EMS records attached
to the E	mergency Roon	ו Record.
	# of Trauma pat # of ER records	tients arriving via ambulance with EMS records attached
	%Compliance _	
Review	Sample:	100% of trauma requiring trauma flow records Utilization of the Trauma
Flow Sh	neet	
	# of Trauma patients meeting criteria for trauma flow # of Trauma flow utilized with pt.'s meeting criteria	
	%Compliance _	
Review	Sample	: 100% of trauma patients transferred Trauma patients
transfer	red to Trauma D	esignated facilities

of Trauma patients transferred # of Trauma patients transferred to Trauma Designated facilities