## Big County Regional Advisory Council Regional STEMI Plan

## **BCRAC Regional STEMI Alert Form**

Na	ame:	Date:		
DO	B: AGE: Symptom Ons	et Time:		
EMS to complete this section (Provider Name)				
	Patient contact time:	□ NTG 0.4 mg SL q 5 minutes x 3, unless contraindicated		
	O <sub>2</sub> Lpm, via	Time:/		
	Started IV w/ gauge	□ Other Treatment:	_	
	12-lead administered Time:		_	
	12-lead transmitted or called to facility Time:		_	
	4 chewable baby aspirin (or equivalent) PO, unless	Medic Name (Printed):		
	contraindicated Time:	Signature:		
RURAL HOSPITAL to complete this section (Provider Name)				
	Hospital:	Other Treatment:		
	Patient arrival time:			
	Activate Code STEMI Time:	☐ IF STEMI or left bundle branch block, call for acceptance of		
	STAT EKG & continuous cardiac monitoring. Notify ED	CODE STEMI Time Called: Time Accept:		
	Physician: Time:	☐ Receiving Hospital:		
	O <sub>2</sub> Lpm, via	☐ If thrombolytics given, <b>please use Heparin</b> -		
	Ensure 2 IV lines	Drug/Dose:		
	STAT lab: CBC, CMP, PT/PTT, CK, CKMB, Troponin I	Route: Time:		
	Chest X-ray completed Time:	☐ Contact EMS (ground or air) for priority transfer		
	4 chewable baby aspirin (or equivalent) PO, unless	Provider: Time called:		
	contraindicated Time:	☐ EMS arrived Time: Patient leaves ED Time:		
	NTG 0.4 mg SL q 5 minutes x 3, unless contraindicated	Call Cardiologist when patient has left facility.		
	Time:	Nurse Name (Printed):		
TD	Signature:  TRANSFER EMS to complete this section (Provider Name)			
			_	
Pat	ient arrival time: Notes:		_	
STEMI FACILITY to complete this section (Provider Name)				
	Patient arrival time:		_	
	Activate Code STEMI Time:	Other Treatment:		
	STAT EKG Time: & continuous cardiac	☐ If thrombolytics given - Drug/Dose:	-	
	monitoring. Notify Cardiologist:	Route: Time:	-	
	Time called: Time Arrived:	Prep Patient for Cath:	-	
	O <sub>2</sub> Lpm, via	Remove all patient's clothes; hospital gown only		
	Ensure 2 IV lines	Name/allergy bands on patient		
	STAT lab: CBC, CMP, PT/PTT, AMIP	☐ IV x 2 with extension tubing		
	Chest X-ray completed Time:	☐ IV: NS at KVO rate for primary line		
	4 chewable baby aspirin (or equivalent) PO, unless	☐ Connect patient to the portable monitor		
	contraindicated Time:	□ Portable O <sub>2</sub> tank on stretcher		
	NTG 0.4 mg SL q 5 minutes x 3, unless contraindicated	Place consent on chart; ensure patient has signed consent		
	Time:	after explanation from cardiologist		
	Heparin Bolus: Dose Time	Patient leaves ED for Cath Lab. Time:		
	Heparin Drip: Dose Time	Nurse Name (Printed):		
	Morphine: Dose Time	Signature:		
CATH LAB to complete this section (Provider Name)				
	Patient arrives in Cath Lab:	☐ ICU Notified for Room:	_	
	Arrival of Interventionalist:	Patient leaves Cath Lab:	_	
	First Lesion Access:	Nurse Name (Printed):		
	Reperfusion time/intervention complete:/		_	
		initial medical contact to hallow inflation	_	

Regional Goal: 90 minutes or less from initial medical contact to balloon inflation.